Chemsolv T-27 Thinner

## SECTION I - IDENTIFICATION

# ROBO'S DETAIL SUPPLIES INC.

ROBO's DETAIL SUPPLIES, INC. 11026 Air Park Road Suite #3 Ashland, Virginia 23005 804/798-8020 804/798-8306

CHEMTREC :..... (800) 424-9300

**Product Number** 

006322

**Product Name** 

Grease, Tar & Silicone Remover

**Chemical Family** 

Blend

**CAS Number** 

Multiple

**Date Prepared** 

5/9/2016

**Revision Number** 

Recommended Use

Industrial Use Only

## SECTION II - HAZARDOUS IDENTIFICATION

#### **GHS CLASSIFICATION:**

#### Classification

Category 2 Flammable Liquids Category 1 Aspiration Hazard Category 2 Skin Corrosion/Irritation Category 2A Serious Eye Damage/Eye Irritation Category 4 Acute Toxicity, Inhalation Category 3 Specific target organ toxicity, single exposure, N Category 2 Reproductive Toxicity Category 2 Specific target organ toxicity, repeated exposure

#### DANGER!

#### **GHS LABEL:**







#### **Hazard Statements**

H225	Highly flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H336	May cause dizziness or drowsiness
H361	Suspected of damaging fertility or the unborn child

# Chemsolv T-27 Thinner

H373 May cause damage to organs through prolonged or repeated exposure

88	Precautionary : P201	Statements Obtain special instructions before use.
	P202	Do not handle until all safety precautions have been read and understood.
	P210	Keep away from heat, hot surfaces, sparks,open flames, and other ignition, sources. No smoking.
	P233	Keep container tightly closed.
	P240	Ground/bond container and receiving equipment.
	P241	Use explosion-proof electrical/ventilating/light// equipment, etc.
	P242	Use only non-sparking tools.
	P243	Take precautionary measures to prevent static discharge.
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264	Wash thoroughly after handling.
	P271	Use only outdoors or in a well-ventilated area.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
	P302+352	IF ON SKIN: Wash with plenty of soap and water.
	P303+361+353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water or shower.
	P304+340	IF INHALED: Remove victim to fresh air and keep comfortable for breathing.
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing.
	P308+313	IF exposed or concerned: get medical advice/attention.
	P312	Call a POISON CENTER or a doctor/physician if you feel unwell.
	P314	Get medical advice/attention if you feel unwell.
	P321	Specific treatment (see below).
	P331	Do NOT induce vomiting.
	P332+313	If skin irritation occurs: get medical advice/attention.
	P337+313	If eye irritation persists get medical advice/attention.
	P362+364	Take off immediatley all contaminated clothing and wash it before reuse.
		e e di constituire de la const

In case of fire: Use appropriate media to extinguish.

P370+378

## Chemsolv T-27 Thinner

P403+233 Store in a well ventilated place. Keep container tightly closed.

P403+235 Store in a well ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local and national regulations.

## SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

The precise composition of this product is proprietary information. In the event of a medical emergency, a complete disclosure will be provided to medical personnel.

Component Name	CAS#	Component%	OSHA PEL	ACGIH TLV
Hydrotreated Light Naphtha	64742-49-0	80	500 ppm	500 ppm
Toluene	108-88-3	10	200 ppm	100 ppm
2-Butoxyethanol	111-76-2	5	50 ppm	20 ppm
Isopropyl Alcohol	67-63-0	5	400ppm	200ppm (TWA)

## **SECTION IV - FIRST AID MEASURES**

Contact with eyes: Flush with water for 15 minutes. Seek immediate medical attention.

Skin contact: Wash exposed areas with water and mild soap. Remove contaminated clothing

immediately and launder before reuse. If irritations persist, seek immediate medical

attention.

Inhalation: Remove victim to fresh air. Administer oxygen or artificial respiration if breathing is

affected or stopped. Seek immediate medical attention.

Ingestion: If swallowed. Do not induce vomiting. Seek immediate medical attention. Never give

anything by mouth to an unconscious person.

#### **SECTION V - FIREFIGHTING MEASURES**

Suitable Extinguishing Media: Water fog, foam, CO2, dry chemical.

Special Fire Fighting Procedures Use self-contained breathing apparatus and full bunker gear in fire areas.

Evacuate all unprotected personnel from area. Keep containers cool with water fog to minimize swelling taking care not to spread flames with water

used for cooling.

Unusual Fire Fighting Hazards: Product is flammable and may be ignited by heat, sparks, flames or other

sources of ignition (e.g., static electricity, pilot lights or mechanical/electrical equipment). Vapors are heavier than air and may accumulate in low areas. Vapors may travel considerable distances to a source of ignition where they can ignite, flashback or explode. May create vapor/air explosion hazard indoors, outdoors or in sewers. If container is not properly cooled, it can

explode in the heat of a fire.

Chemsolv T-27 Thinner

## SECTION VI - ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** 

Keep all sources of ignition and hot metal surfaces away from spill or

release.

Evacuate all unprotected personnel from the area.

Product is extremely flammable.

Environmental Precautions: Prevent liquid from entering drains, sewers or waterways.

Contain spill if it can be done with minimal risk.

Notify proper authorities.

Methods for Cleaning Up:

Use foam on spills to minimize vapors.

Using only non-sparking tools and explosion proof equipment, collect

spill on absorbent material and put into approved container.

#### SECTION VII - HANDLING AND STORAGE

Handling and Storage:

- Vent container carefully before opening.
- Bond and ground all equipment when transferring from one vessel to another. The use of explosion-proof equipment is recommended.
- "Empty" containers retain residue and/or vapor and may be dangerous.
   Do not cut, weld, braze solder, drill, grind or expose such containers to heat, flames, sparks, or other ignition sources.
- Keep containers tightly closed when not in use.
- NFPA Class IB storage.
- Outdoor storage or detached storage may be preferred.
- Indoor storage must meet OSHA standards and fire codes.
- If current ventilation practices are not adequate to maintain airborne concentrations below the established exposure limits, additional ventilation or exhaust systems may be required.
- Where explosive mixtures may be present, electrical systems safe for such locations must be used.

#### SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

#### **EXPOSURE LIMITS:**

Component Name	CAS#	OSHA PEL	ACGIH TLV
Hydrotreated Light Naphtha	64742-49-0	500 ppm	500 ppm
Toluene	108-88-3	200 ppm	100 ppm
2-Butoxyethanol	111-76-2	50 ppm	20 ppm
Isopropyl Alcohol	67-63-0	400ppm	200ppm (TWA

Engineering Controls: Adequate local or mechanical to reduce vapor or mist to below the PEL or

TLV.

Monitoring:

Follow accepted work practices for handling a flammable material.

Do not eat, drink or smoke in areas where this chemical is used or stored.

Have eye wash stations and safety showers readily available.

Personal Protective Equipment (PPE)

Chemsolv T-27 Thinner

**Eye Protection:** 

Goggles or approved OSHA device with side shields; do not wear contact

lenses when handling this product.

**Skin Protection:** 

Impervious solvent resistant gloves.

Impervious apron and work boots recommend where splashing may occur.

Respiratory Protection: Use the proper respirator in areas where the chemical exposure is

unknown or above the OSHA PEL or ACGIH TLV.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES				
Appearance	Clear, Colorless Liquid			
Odor	Characteristic solvent odor			
pH@25°C	Not Determined			
Melting/Freezing Point	Not Determined			
Flashpoint	39.2 - 154°F Range of components (Calculated estimate 65°F)			
Specific Gravity	0.78			
Soluability	Very slight			
Auto-Ignition Temperature	Not Determined			
Decomposition Temperature	Not Determined			
VOC Content	100% (6.5#/gal)			
Odor Threshold	Not Determined			
Boiling Range	180 - 344.3°F Range of components			
Evaporation Point	Not Determined			
Flammable Limits - Upper	Not Determined			
Flammable Limits - Lower	Not Determined			
Vapor Pressure	Not Determined			
Vapor Density (Air=1)	Not Determined			
Viscosity	Not Determined			

OFOTION V	OTABILITY	AND DEACTIVITY
SECTION X -	SIABILITY	AND REACTIVITY

Stability:

Stable, under normal conditions of storage and handling.

**Conditions to Avoid:** 

Extreme heat and ignition sources.

Hazardous Decomposition/Byproducts: CO, CO2, and various hydrocarbons under combustion

conditions.

**Hazardous Polymerization:** 

Will not occur.

**Polymerization Conditions to Avoid:** 

None

Incompatibilities:

Strong oxidizers

Chemsolv T-27 Thinner

## SECTION XI - TOXICOLOGICAL INFORMATION

Likely Route of Exposure:

Contact and inhalation; ingestion possible.

Inhalation:

May cause irritation to the upper respiratory tract and CNS depression.

**Eye Contact:** 

Causes eye irritation including stinging, watering and redness which

may result in corneal injury.

Skin Contact:

Contact may cause mild skin irritation including redness, burning and

drying/cracking of the skin.

Ingestion:

Aspiration hazard. Can enter the lungs during swallowing or vomiting

and cause chemical pneumonia and edema.

**Acute Toxicity Value:** 

See Health Hazards below.

Chronic (Long Term) Effects: See Health Hazards above.

#### Toxicity:

Component Name	LD50	LC50
Hydrotreated Light Naphtha	Oral - Rat - > 2000 mg/kg - Dermal - rat - > 2000 mg/kg	Not Established
Toluene	Oral-Rat- > 5,580 mg/kg; Dermal- Rabbit-12,267 mg/kg	Inhalation-Rat-4 h- >20 mg/l
2-Butoxyethanol	Oral - Rat - 470 mg/kg; Dermal - Rabbit - 220 mg/kg;	Inhalation - Rat - 4 h - 450 ppm
Isopropyl Alcohol	Oral-Rat- >2000 mg/kg; Dermal- Rabbit- >2000 mg/kg	Inhalation-Rat- >20 mg/l (8h)

**Reproductive Effects** 

Not Determined

**Teratogenicity** 

Suspected of damaging the unborn child.

Mutagenicity

Not Determined

**Embryotoxicity** 

Not Determined

Sensitization to Product

Not Determined

**Synergistic Products** 

Not Determined

Carcinogenicity

Not Determined

#### Chemsolv T-27 Thinner

## SECTION XII - ECOLOGICAL INFORMATION

**Ecotoxicity:** 

Information not available.

Mobility:

Information not available.

Degradability:

Readily biodegradable.

BioAccumulation: The potential for bioaccumulation is low.

## SECTION XIII - WASTE DISPOSAL CONSIDERATIONS

Follow Federal, state, and local regulations.

#### SECTION XIV - TRANSPORT INFORMATION

#### DOT SHIPPING INFORMATION

Proper Shipping Name:

Flammable Liquid, n.o.s.

Contains:

(Toluene, Naphtha)

Hazard Class and Label: 3

**Identification Number:** 

UN1993

Packaging Group:

Ш

Other Shipping Info:

#### **SECTION XV - REGULATORY INFORMATION**

TSCA STATUS:..... The components of this product are listed on the TSCA Inventory

SARA TITLE III SECTION 302/304 EXTREMELY HAZARDOUS SUBSTANCE:

No chemicals in this material are subject to the reporting requirements.

#### SARA TITLE III SECTION 311/312 HAZARD CATEGORIZATION:

Acute	Chronic	Fire	Pressure	Reactive
Х	Х	Х		

#### SARA TITLE III SECTION 313 SUPPLIER INFORMATION:

Component Name	CAS#	% by wt.
Toluene	108-88-3	10

#### **CERCLA SECTION 102(a) HAZARDOUS SUBSTANCE:**

#### Chemsolv T-27 Thinner

Component Name	CAS#	% by wt.	RQ (lbs.)
Toluene	108-88-3	10	1,000
2-Butoxyethanol	111-76-2	5	5,000

## **CALIFORNIA PROPOSITION 65:**

Toluene is a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

## SECTION XVI - OTHER INFORMATION

Additional:

**Specification Information** 

Department issuing data sheet: Regulatory Affairs

Email address: rcoat

rcoats@chemsolv.com

Training necessary:

**Hazard Communication** 

#### Disclaimer:

This SDS is believed to be accurate and represents the best information currently available. No warranty of merchantability or any other warranty is expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Chemsolv be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Chemsolv has been advised of the possibility of such damages.