



BE GREAT! . . . BE DISTINCTIVE!

SAFETY DATA SHEET - SDS

SECTION 1

PRODUCT INFORMATION

Product Name: 90961 ODOR RESCUE Date of preparation: June 1, 2015
 Supplier: DISTINCTIVE DETAILS, INC
 1253 Lower Elkton Road
 Columbiana, OH 44408
 412.431.3904 412.431.0418 fax
 EMERGENCY PHONE: CHEM-TREC CCN6739 1.800.424.9300 (outside USA 703.527.3887)

Information as supplied by the manufacturer of ODOR RESCUE:

CLO2 SYSTEMS, INC
 3247 Pearl Road
 Medina, OH 44256

EMERGENCY SOURCE INFORMATION:
 24-Hour Emergency 800.535.5053
 951.286.6367 (9:00 AM – 4:00 PM EST)

SUBSTANCE: Inorganic Oxidizer

DRY UNACTIVATED PRODUCT: Sodium Chlorite, Proprietary Ingredients

ACTIVATED PRODUCT: Chlorine Dioxide

PRODUCT USE: Automotive Interior Deodorizer, Boat & Marine Deodorizer, RV & Camper Deodorizer, Big Rig Deodorizer, Home & Basement Deodorizer, Hotel Room Deodorizer, Commercial & Office Space Deodorizer

SECTION 2

HAZARDS IDENTIFICATION

DRY PRODUCT: Sodium chlorite

SIGNAL WORD: DANGER

CATEGORY: Oxidizing solids (category 2)



Respiratory tract irritant



Causes burns to skin, serious eye damage



May intensify fire; oxidizer

ACTIVATED PRODUCT: Chlorine dioxide

SIGNAL WORD: CAUTION

CATEGORY: NA

INHALATION: Chlorine dioxide gas is a strong respiratory irritant. High exposure may cause bronchial spasms and pulmonary edema, which may be delayed in onset. May cause severe headache. All symptoms may be delayed and long lasting. Prolonged exposure may cause bronchitis.

SKIN CONTACT: Skin irritant. Gas phase may be absorbed, causing tissue and blood cell damage.

EYE CONTACT: Eye irritant. Exposure may cause visual disturbance such as seeing haloes around lights.

INGESTION: Aqueous solutions of chlorine dioxide gas can be irritating and in high concentrations cause chemical burns. Not anticipated from this product.

ADDITIONAL DATA: May have increased effects with exposure to chlorine, other chlorine oxides and chlorine-fluorine compounds. Avoid directly inhaling fumes of activated packet or solution. Read label carefully before use.

SECTION 3			COMPOSITION/INFORMATION ON INGREDIENTS	
-----------	--	--	--	--

DRY/Unactivated Product			Activate Product	
COMPONENT	CASRN	RANGE	COMPONENT	CASRN
Activator*	N/A	60-80%	Chlorine Dioxide	10049-04-4
Sodium Chlorite	7758-19-2	20-40%		
Inert*	N/A	< 2%		

*Proprietary ingredients

SECTION 4		FIRST AID MEASURES	
-----------	--	--------------------	--

CONTACT WITH DRY PRODUCT

SKIN: Brush off loose product. Rinse skin immediately with plenty of water, then wash area with soap and water. Call a poison control center or doctor for treatment advice.

EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. Seek medical attention immediately.

INGESTION: Call a poison control center or doctor immediately for treatment advice. Have person drink large quantities of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

INHALATION: Remove individual from exposure to chemical. Seek fresh air. If individual is not breathing, administer CPR. If breathing is labored, seek medical attention.

CONTACT WITH LIQUID PRODUCT (ACTIVATED PRODUCT)

SKIN: Remove contaminated clothing. Rinse skin immediately. If irritation persists, obtain medical attention.

EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. If irritation persists, obtain medical attention.

INHALATION: **The product produces chlorine dioxide gas when the contents are adequately wetted. Carefully observe label instructions, and Section 8 of this SDS.** Remove individual from exposure to chemical. Seek fresh air. If individual is not breathing, administer CPR. If breathing is labored, seek medical attention.

INGESTION: Call a poison control center or doctor immediately for treatment advice. Have person drink large quantities of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE: Have the product container or label with you when calling a poison control center or doctor or going for treatment.

SECTION 5 FIRE FIGHTING MEASURES

FIRE AND EXPLOSION HAZARD: Sodium chlorite in the unactivated product is a strong oxidizer, and can support combustion in the absence of air. Chlorine dioxide, which may evolve from exposure of the unactivated product to water, is explosive in the gas phase at concentrations greater than 10% by volume. Do not allow chlorine dioxide gas to accumulate in confined spaces.

EXTINGUISHING MEDIA: Fire-exposed containers should be watered and cooled with water fog. Decomposition can release oxygen that supports combustion and reduces effectiveness of suffocation-type extinguishing agents.

FIREFIGHTING: Wear full protective clothing and self-contained breathing apparatus with full face piece (pressure-demand, NIOSH-approved). Approach fire from upwind to avoid hazardous vapors and toxic decomposition products.

HAZARDOUS COMBUSTION PRODUCTS: Decomposition can release oxygen that supports combustion and reduces effectiveness of suffocation-type extinguishing agents. Thermal decomposition products from incomplete combustion (pyrolysis) include carbon monoxide, carbon dioxide, and inorganic chlorine compounds.

SECTION 6 ACCIDENTAL RELEASE MEASURES

DRY PRODUCT:

If contents of pouch are exposed, spilled, or otherwise introduced into the environment:

- Wear protective rubber gloves (see manufacturer details for tolerances)
- Wear protective goggles or other eye protection
- Wear an approved NIOSH mask to prevent inhaling fumes/dust
- Place contents on pouch in a plastic container
- Fill container with water to allow degradation/neutralization

ACTIVATED PRODUCT:

If activated product is spilled, or otherwise introduced into the environment:

- Wear protective rubber gloves (see manufacturer details for tolerances)
- Wear protective goggles or other eye protection
- Wear an approved NIOSH mask to prevent inhaling fumes
- If spillage is heavily concentrated, dilute
- Soak up spillage and dispose of according to local ordinance

SECTION 7 HANDLING AND STORAGE

HANDLING: Use product as directed by label. Avoid breathing mist or vapors generated by activated product. Use only with adequate ventilation. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Thoroughly rinse any protective gear and handling equipment used prior to storage and reuse.

STORAGE: Observe all applicable regulations when storing this substance. Keep unactivated product in a cool, dry, ventilated area away from direct sunlight. Do not store with acids, chlorine and chlorine

compounds, hypochlorites (bleach), organic solvents, sulfur and sulfite compounds, phosphorus, and combustible/flammable materials. Do not store in areas where sparking may occur.

After envelope is spent, liquid product should be disposed of down designated disposal sink and flushed thoroughly with water. Throw away envelope. Ensure the micro-reactor used for air treatment or odor elimination is spent before discarding; see product label for total time to be emerged in water prior to discarding.

SECTION 8

EXPOSURE CONTROL/PERSONAL PROTECTION

VENTILATION: General exhaust ventilation is sufficient for safe use of this product. Avoid breathing any vapors, mists or fumes generated by the inactivated and activated product. Local exhaust ventilation or NIOSH approved mask may be appropriate during applications, in confined spaces or where large quantities are used.

EYE PROTECTION: Whether handling dry ingredients or activated product, approved safety goggles or face shield should be worn.

EMERGENCY WASH FACILITIES: None normally required when handling intact product. Safety shower and chemical eyewash facilities may be necessary if handling large quantities of dry ingredients.

GLOVES: None normally required when handling intact product. If handling dry ingredients in product, use appropriate hand protection. Gloves made of rubber, neoprene or other chemically impervious gloves may be suitable. Consult glove manufacturer.

RESPIRATOR: None normally required when handling intact product. Where overexposure to chlorine dioxide may occur, use appropriate respiratory protection and follow OSHA requirements at 29 CFR 1910.134 and 29 CFR 1910.1000. A NIOSH-approved air-purifying respirator or a NIOSH approved canister/cartridge respirator rated for chlorine/acid gas or specified for chlorine dioxide may be appropriate.

FOR FIREFIGHTING AND OTHER IMMEDIATELY DANGEROUS TO LIFE OR HEALTH CONDITIONS: For firefighting, see section 5

DRY/Unactivated Product

Activate Product

COMPONENT	CASRN	RANGE	COMPONENT	CASRN
Activator*	N/A	60-80%	Chlorine Dioxide	10049-04-4
Sodium Chlorite	7758-19-2	20-40%		
Inert*	N/A	< 2%		*Proprietary ingredients

EXPOSURE LIMITS:

COMPONENT	CASRN	OSHA	ACGIH	NIOSH
Activator*	N/A	None Listed	None Listed	None Listed
Sodium Chlorite	7758-19-2	None Listed	None Listed	None Listed
Inert*	N/A	15 mg/m3 [^] *	10 mg/m3 [^] *	None Listed
				*Proprietary ingredients

SECTION 9

PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Dry Product-white powdery substance.
Activated Product-light green to yellow liquid.

UPPER/LOWER FLAMMABILITY LIMITS: NA

ODOR: Dry Product-NA
Activated Product-faint chlorine smell

VAPOR PRESSURE: NA

ODOR THRESHOLD: 0.1 PPM

VAPOR DENSITY: NA

pH: Neutral

RELATIVE DENSITY: NA

MELTING/FREEZING POINT: NA

SOLUBILITY: COMPLETE

INITIAL BOILING POINT AND BOILING RANGE: NA

FLASH POINT: 185°C

EVAPORATION RATE: NA

FLAMMABILITY: NA

PARTITION COEFFICIENT: NA

AUTO-IGNITION TEMPERATURE: NA

DECOMPOSITION TEMPERATURE: 160°C

VISCOSITY: NA

SECTION 10

STABILITY AND REACTIVITY

STABILITY: Product is stable under normal storage conditions. Ingredients are oxidizers and may decompose if heated above 160 °C, opened, or wetted.

CONDITIONS TO AVOID: Avoid storing product where it might become wet, or where the spilled contents of a damaged, unactivated pouch could dry to a crystalline salt or produce chlorine dioxide gas. Do not store where dry material may come into contact with sparking

INCOMPATIBILITIES: Avoid accidental contact of dry ingredients or activated product with acids, chlorine compounds, hypochlorites (bleach), sulfur and sulfite compounds, phosphorus, organic solvents, and combustible/flammable materials.

HAZARDOUS DECOMPOSITION: Exposure of dry ingredients or activated product to acids or chlorine compounds can produce uncontrolled release of chlorine dioxide gas.

SECTION 11

TOXICOLOGICAL INFORMATION

CARCINOGEN STATUS: Not Listed.

TARGET ORGANS: Skin, eyes.

ADDITIONAL DATA: None.

HEALTH EFFECTS OF UNACTIVATED PRODUCT: None anticipated under normal conditions of use. Contact with dry ingredients may cause burns.

INHALATION: None anticipated under normal conditions of use.

SKIN CONTACT: None anticipated under normal conditions of use.

EYE CONTACT: None anticipated under normal conditions of use; however, eye contact with dry ingredients may cause irreversible eye damage.

INGESTION: None anticipated under normal conditions of use.

DERMAL SENSITIZATION: A dermal sensitization test [in accordance with EPA Health Effects Test Guidelines, OPPTS 870.2600 (2003)] was deemed not necessary by EPA since all ingredients are sealed inside packet and no exposure is created with proper use.

ACUTE INHALATION: LC50 >2.07mg/L (male and female rats): single exposure acute inhalation of the activated aqueous solution of chlorine dioxide.

CARCINOGEN STATUS:

OSHA: Not Listed. NTP: Not Listed. IARC: Not Listed.

TARGET ORGANS: Skin, eyes, respiratory tract, mucous membranes.

ADDITIONAL DATA: None.

HEALTH EFFECTS FROM EXPOSURE TO ACTIVATED PRODUCT: None anticipated under normal conditions of use.

POTENTIAL HEALTH EFFECTS FROM EXPOSURE TO CHLORINE DIOXIDE GAS:

INHALATION: Chlorine dioxide gas is a strong respiratory irritant. High exposure may cause bronchospasm and pulmonary edema, which may be delayed in onset. May also cause severe headache. All symptoms may be delayed and long lasting. Prolonged exposure may cause bronchitis.

SKIN CONTACT: Skin irritant. Gas phase may be absorbed, causing tissue and blood cell damage.

EYE CONTACT: Eye irritant. Exposure may cause visual disturbance such as seeing haloes around lights.

INGESTION: Liquid solutions of chlorine dioxide gas can be irritating and in high concentrations cause chemical burns. Not anticipated from this product.

ADDITIONAL DATA: May have increased effects with exposure to chlorine, other chlorine oxides, and chlorine-fluorine compounds.

SECTION 12	ECOLOGICAL INFORMATION
ACUTE AQUATIC TOXICITY:	Not applicable.
DEGRADABILITY:	Decomposes in water.
BIOCONCENTRATION FACTOR (BCF):	Not applicable.
OCTANOL/WATER PARTITION COEFFICIENT:	Not applicable.

SECTION 13	DISPOSAL CONSIDERATIONS
Unactivated product should be disposed in accordance with all federal, state and local regulations. Used/activated product sachets are considered inert; consult with appropriate agencies to determine appropriate disposal methods.	

SECTION 14 TRANSPORT INFORMATION**DOT Transportation Data (49 CFR 172.101):**

D.O.T. Classification: 5.1 Oxidizer

UN Number: 1496

SECTION 15 REGULATORY INFORMATION**US FEDERAL REGULATIONS:**

Clean Air Act: Not applicable.

CERCLA SECTION 103 (40 C.F.R. § 302.4): Not applicable.

SARA SECTION 302 (40 C.F.R. § 355.30): Not applicable.

SARA SECTION 304 (40 C.F.R. § 355.40): Not applicable.

SARA (EPCRA) SECTION 313 (40 C.F.R. § 372.65): Chlorine dioxide produced from activated product is listed under SARA 313, with a 25,000-pound threshold for manufactured product.

OSHA PROCESS SAFETY (29 C.F.R. § 1910.119): Not regulated.

SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40 C.F.R. § 370.21): 10,000 lb. threshold.

ACUTE HAZARD: Irritant.

CHRONIC HAZARD: None known.

FIRE HAZARD: Oxidizer.

REACTIVITY HAZARD: Oxidizer.

SUDDEN RELEASE HAZARD: Not applicable.

STATE REPORTING REQUIREMENTS:

California Proposition 65: Not regulated. New Jersey: See Section II.

SECTION 16 OTHER INFORMATION**Disclaimer:**

English: To the best of our knowledge, this SDS conforms to the requirements of US OSHA 29 CFR 1910.1200. The information contained herein is based on data considered accurate to the best of our knowledge at the date of its publication. However, no warranty is expressed or implied regarding the accuracy, completeness, or adequacy of the information contained herein. The manufacturer and/or supplier shall not be held liable (regardless of fault) to the user or third persons, or anyone for any direct, indirect, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of such information. Each user must review this SDS in the context of how the product will be handled and used in the workplace. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company so we can attempt to obtain additional information from our suppliers.

The conditions or methods of handling, storage, use, and/or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for any loss, damage or

expense arising out of or in any way connected with handling, storage, use or disposal of the product.

Please carefully read and understand all labels before using product.

Español: A lo mejor de nuestros conocimientos, este SDS se ajusta a las exigencias de Estados Unidos OSHA 29 CFR 1910.1200. La información contenida en este documento se basa en datos considerados precisas a lo mejor de nuestros conocimientos en la fecha de su publicación. Sin embargo, ninguna garantía es expresa o implícita con respecto a la exactitud, integridad o adecuación de la información contenida en este documento. El fabricante o el proveedor no se hace responsable (independientemente de la culpa) para el usuario o terceras personas o cualquier persona por los daños directos, indirectos, especiales o consecuentes derivados de o en relación con la exactitud, integridad, adecuación o suministro de dicha información. Cada usuario debe revisar este SDS en el contexto de cómo el producto se controlan y se utilizará en el lugar de trabajo. Si aclaraciones o información adicional es necesaria para garantizar que se puede realizar una evaluación adecuada del riesgo, el usuario debe ponerse en contacto con esta empresa por lo que nosotros podemos intentar obtener información adicional de nuestros proveedores.

Por favor, cuidadosamente leer y entender todas las etiquetas antes de utilizar el product Avis de non-responsabilité.

Français: Le meilleur de notre connaissance, cette fiche signalétique est conforme aux exigences de la US OSHA 29 CFR 1910.1200. Les informations contenues dans le présent document sont basées sur les données considérées comme exactes au meilleur de notre connaissance à la date de sa publication. Cependant, aucune garantie est exprimée ou implicite concernant l'exactitude, l'exhaustivité ou l'adéquation des informations contenues dans les présentes. Le fabricant ou le fournisseur ne peut être tenue responsable (indépendamment de la panne) à l'utilisateur ou des tiers ou quiconque des dommages directs, indirects, spéciaux ou consécutifs, découlant d'ou en relation avec la précision, l'exhaustivité, pertinence ou à la fourniture de ces informations. Chaque utilisateur doit examiner cette fiche signalétique dans le contexte de comment le produit est traité et utilisé en milieu de travail. Si clarification ou complément d'information est nécessaire pour garantir qu'une évaluation appropriée du risque peut être effectuée, l'utilisateur doit contacter cette société afin de nous pouvons tenter d'obtenir des informations complémentaires auprès de nos fournisseurs.

Veillez lire attentivement et comprendre toutes les étiquettes avant d'utiliser le produit

End of SDS document

Fin del documento SDS

Fin de la fiche
signaletique du document